



MATERIAL SAFETY DATA SHEET

## 1. PRODUCT & COMPANY IDENTIFICATION

**Product Name:** BROWNING TREATMENT

**Uses:** Carpet spotter for the removal of browning caused by water damage.

**Supplier Details:** ED Oates Pty Ltd Trading As: RESEARCH PRODUCTS

**Address:** PO Box 158 Campbellfield VIC 3061

**ABN:** 61 004 329 462 **ACN:** 004 329 462

**Telephone:** (03) 9355 6994 **Fax Number:** (03) 9359 9509

**Poisons Information Centre Telephone:** 13 1126

## 2. HAZARDS IDENTIFICATION

**Classified as hazardous according to criteria of NOHSC**

**Risk Classification:** Xn; Harmful

### Risk Phrases

- R22 Harmful if swallowed.
- R31 Contact with acids liberate toxic gas.
- R41 Risk of serious damage to eyes.

### Safety Phrases

- S2 Keep out of reach of children.
- S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Identity	Percentage	CAS No.
Sodium Metabisulphite	< 20	7681-57-4
Water	> 80	7732-18-5

## 4. FIRST AID MEASURES

**Swallowed:** Drink 1 or 2 glasses of water. Do Not induce vomiting. NEVER give anything by mouth to an unconscious person. Seek medical advice.

**Eye Exposure:** Immediately flush eyes with plenty of water holding eyelids open. Seek medical advice.

**Skin Exposure:** Remove all contaminated clothing. Wash affected area with plenty of water. If skin irritation persists seek medical advice.

**Inhalation:** Remove victim from exposure to fresh air. If feeling unwell seek medical advice.

### Advice to Doctor

Treat symptomatically based on individual reactions of patient and judgement of doctor.

## 5. FIRE FIGHTING MEASURES

**Hazchem Code:** None Allocated

Product is water based and is unlikely to play a contributing role in any fire. Heated product may give off highly irritating fumes.

### Special protective precautions and equipment for fire fighters

Fire fighters should use the appropriate equipment for the surrounding fire. Breathing apparatus must be worn.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions:

Use personal protective equipment including breathing apparatus and eye protection. Material can create slippery conditions.

### Environmental precautions:

CAUTION: Keep spills and cleaning runoff out of drains and open bodies of water.

### Methods & Materials for Containment & Clean Up:

Contain spills immediately with inert absorbent materials (e.g. sand, earth).

Transfer liquids and used absorbent material to separate suitable containers for recovery or disposal.

## 7. HANDLING & STORAGE

### Handling:

Avoid contact with eyes and skin. Avoid breathing fumes.

### Conditions for safe storage

Store in a cool, dry, well-ventilated area. Keep container tightly closed when not in use.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure limit(s):** Not established for this product

**Exposure controls:**

**Eye protection:** Wear safety glasses.

**Hand protection:** Wear suitable gloves.

**Engineering measures:** Use only in well ventilated area.

## 9. PHYSICAL & CHEMICAL PROPERTIES

<b>Physical state:</b>	Liquid
<b>Colour:</b>	Colourless – pale yellow
<b>Odour:</b>	Pungent (sulphur dioxide)
<b>pH:</b>	4.0 - 5.0
<b>Boiling point/range:</b>	Approximately 100°C
<b>Melting point/range:</b>	<0°C Water
<b>Flash point:</b>	Non combustible
<b>Vapour pressure:</b>	Not established
<b>Relative vapour density:</b>	Not established
<b>Water solubility:</b>	Miscible with water at all proportions
<b>Relative density:</b>	1.08 +/- 0.005
<b>Viscosity, dynamic:</b>	Not applicable
<b>Evaporation rate:</b>	Not established
<b>Percent volatility:</b>	Not determined

NOTE: The physical data presented above are typical values and should not be construed as a specification.

## 10. STABILITY & REACTIVITY

**Hazardous Reactions:** Product is stable under normal conditions of use, storage and temperature.

**Materials to avoid:** Avoid contact with strong acids.

**Polymerization:** Product will not undergo polymerization.

## 11. TOXICOLOGICAL INFORMATION

No data is available for this material. The information shown is for sodium metabisulphite raw material which is present at less than 20%.

### Toxicity Data

Oral LD50 Rat: 1540mg/Kg

### Health Effects – Acute

#### Swallowed

Harmful if swallowed.

### Eye

Risk of serious damage to eyes.

### Skin

Not irritating to skin. Allergic people may suffer skin irritation.

### Inhaled

Irritating to respiratory system.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No data available

**Persistence and degradability:** No information available for this product.

**Mobility:** No information available on this product.

### Additional information

**Environmental fate (exposure):** Avoid contaminating waterways, drains and sewers.

**Bioaccumulative potential:** No information available for this product.

## 13. DISPOSAL CONSIDERATIONS

**Environmental precautions:** CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Disposal:** Dispose of in accordance with local, state and federal regulations.

## 14. TRANSPORT INFORMATION

### Classification for ROAD and RAIL transport;

Not regulated (Not dangerous for transport)

### Classification for SEA transport (IMO-IMDG):

Not regulated (Not dangerous for transport)

### Classification for AIR transport (IATA/ICAO):

Not regulated (Not dangerous for transport)

**Hazchem Code:** None allocated.

## 15. REGULATORY INFORMATION

### Label

Classification and labelling have been performed according to regulations.

**Poison Schedule** None allocated

**EPG** Not applicable

**Australia. Industrial Chemical (Notification and Assessment) Act (AUSTR).** All ingredients in this preparation are listed in the Australian Inventory of Chemical Substances, AICS.

## 16. OTHER INFORMATION

Date of Preparation: 08-08-2008

Key to Abbreviations & Acronyms Used in MSDS:

<	Less Than
>	Greater Than
AICS	Australian Inventory of Chemical Substances
CAS	Chemical Abstracts Service (Registry Number)
LC50	LC stands for lethal Concentration. LC50 is the concentration of a material in air which causes death of 50% (one half ) of a group of test animals.
LD50	LD stands for "Lethal Dose". LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.
NOHSC	National Occupational Health and Safety Commission.
PEL	Permissible Exposure Limit.
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average
UN	United Nations (Number)
deg C (°C)	Degrees Celsius
g	Gram
g/cm <sup>3</sup>	Grams per cubic centimetre
g/l	Grams per litre
kg	Kilogram
kg/m <sup>3</sup>	Kilograms per cubic metre
ltr	Litre
m <sup>3</sup>	Cubic metre
mg	Milligram
mg/24H	Milligrams per 24 hours
mg/kg	Milligrams per kilogram
mg/m <sup>3</sup>	Milligrams per cubic metre
miscible	Liquids form one homogeneous liquid
ppm	Parts per million
wt	Weight

Literature References: Supplies MSDS

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

***Uncontrolled document. Please ensure you have the current copy.***

Version	7.1
Revision date:	08.08.2008
Print date:	23/09/08